



# 500-710<sup>Q&As</sup>

Cisco Video Infrastructure Implementation

## Pass Cisco 500-710 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/500-710.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which option is a user policy?

- A. authentication
- B. admin policy
- C. call policy
- D. Find Me

Correct Answer: B

---

### QUESTION 2

Where must TURN servers be configured in a resilient and scalable Cisco Meeting Servers solution?

- A. CMS core only
- B. CMS core, CMS edge, and Cisco Unified Communications Manager
- C. CMS edge only
- D. CMS core and CMS edge

Correct Answer: C

---

### QUESTION 3

In an H.323 call that is not interworked, which three signaling protocols are routed through the Expressway? (Choose three.)

- A. RTP
- B. Q.931
- C. H.254
- D. RAS
- E. RTCP
- F. H.245

Correct Answer: AEF

---

### QUESTION 4



Which statement about integrating a Cisco Expressway with a resilient and scalable Cisco Meeting Server deployment is true?

- A. Neither Expressway cores nor Expressway edges can be integrated with Cisco Meeting Server.
- B. Only Cisco Expressway cores can be integrated with Cisco Meeting Server.
- C. Only Expressway edges can be integrated with Cisco Meeting Server.
- D. Expressway cores and Expressway edges can be integrated with Cisco Meeting Server.

Correct Answer: D

---

#### QUESTION 5

Which Cisco WebEx products can support up to 3000 attendees?

- A. Cisco WebEx Meeting Center
- B. Cisco WebEx Event Center
- C. Cisco WebEx Training Center
- D. Cisco WebEx Support Center

Correct Answer: B

---

#### QUESTION 6

Which type of Cisco Spark Bot acts as a text-based remote control for external services?

- A. Spark DocuSign Bot
- B. SMS to Spark Bot
- C. assistants
- D. Spark Poll Bot
- E. controllers
- F. notifiers

Correct Answer: B

---

#### QUESTION 7

Where in the TMS application does an engineer add individual endpoints or infrastructure to the TMS database?

- A. System > Navigator



- B. System > System Overview
- C. System > Provisioning
- D. System > Manage Dial Plan

Correct Answer: A

---

#### QUESTION 8

Which option is the correct format for a SIP alias?

- A. 212-555-1212
- B. +12125551212
- C. John.doe@cisco.com
- D. John.doe

Correct Answer: C

---

#### QUESTION 9

Which option governs the order in which the search rules query the local zone versus neighbored Expressways?

- A. priority number
- B. call processing order
- C. call policy
- D. target zone

Correct Answer: D

---

#### QUESTION 10

Which configuration on the Expressway is needed for a SIP end point to register?

- A. active neighbor zone between the end point and the Expressway
- B. SIP authentication enabled
- C. Registration restriction policy in Allow mode
- D. SIPdomain

Correct Answer: D

---

**QUESTION 11**

As engineer notices that TMS Conference Control Center is not displaying the interface on a scheduler's computer, but it operates properly on the administrator's computer. Which cause is the most likely?

- A. Java must be properly updated and configured on the scheduler's computer.
- B. NET or IS is not set upon the scheduler's computer.
- C. The server domain of the scheduler's computer must be properly configured.
- D. The network has a port blockage.

Correct Answer: A

---

**QUESTION 12**

What is the minimum number of databases that can exist within a cluster when deploying a resilient and scalable Cisco Meeting Server deployment?

- A. 4
- B. 3
- C. 5
- D. 2

Correct Answer: B

---

**QUESTION 13**

An engineer wants to only allow the registration of endpoints with aliases containing cisco.com as the domain.

Which option accomplishes this task?

- A. Set the restriction policy to "Deny" and include the expression.\*@\*in the deny list.
- B. Set the restriction policy to "Allow" and include the expression\@ cisco.com in the allow list.
- C. Set the restriction policy to "Allow" and include the expression. \*@cisco. com in the allow list.
- D. Set the restriction policy to "None" and include the expression \1 @ cisco.com in the allow list.

Correct Answer: C